

staron[®]

Solid Surfaces

ANDLL IG

Staron® staircase cladding in Bright White. Project: Frankston Private Hospital, Victoria, Australia. Designer: Silver Thomas Hanley. Photography: Vstyle Photography.

Staron[®] Solid Surfaces is comprised of a natural and safe pure mineral derived from bauxite ore and blended with an advanced pure acrylic resin, resulting in a premium surface material. Staron[®] Solid Surfaces is suitable for endless applications in a commercial or residential project. With a smooth finish and a range of over 90 colours to select from, Staron[®] is both aesthetically and functionally pleasing. Staron[®] offers a warm, soft and soothing feel to the skin. It does not feel 'cold' like many other surfaces do. Staron® also offers a hygienic finish that abolishes cross contamination, perfect for dental surgeries, hospitals and aged care facilities. Staron® prevents the growth of mould or mildew, providing a clean surface solution. Staron® does NOT contain any harmful silica.

The thermoformability of Staron® allows for designs of ergonomically friendly applications for wheelchair access. The non-porous and slip resistant nature of Staron[®] also means it can be used in and around showers and bathtubs by creating curves for easy access. The smooth nature of Staron[®] adds heightened hygiene and eliminates dirt trapping crevices, that is essential in this type of industry.

Staron[®] also extends itself to fully integrated dentistry bowls, baby baths or sinks and vanities - with no open joins, just one continuous surface. Create monolithic wall surfaces, toilet partitions, food preparation kitchenettes and nurses stations - the possibilities are endless. Staron[®] is renewable, meaning that after years of use it can be sanded to be restored back to its original condition. Staron[®] can be formed and moulded into any shape or design imaginable. It can be sculpted to fit around curves or be carved into logos, designs or sculptures.

Staron® can be inlaid, creating a blend of colours into one piece. The flexibility of Staron® extends to limitless edge profiles; drop down edges, and splash backs. All this comes in an environmentally sustainable material, with a 10 Year Warranty.

Austaron Surfaces are the proud distributors of Staron® Solid Surfaces. Austaron Surfaces was established with an aim to provide quality surfaces and finishes to the Australian market. Austaron's product range is utilised by designers, architects, retailers, builders and also extends to consumers. Our products are used across many industry segments including but not limited to: retail, healthcare, entertainment, food service, office fit-outs, residential and many commercial projects. With an industry experienced sales team based in all states of the country, the business works together with project managers and designers on projects from the specification stage, all the way through to delivery of the product. For more information on Austaron Surfaces and their product portfolio, visit: www.austaron.com.au

ABOUT Staron[®] Solid Surfaces

ABOUT Austaron Surfaces



Sustainable in Design:

Manufactured to strict environmental standards meeting all codes and regulations for interior construction materials.



Easy to Maintain:

Staron is a homogeneous, colour-through product, making it repairable and renewable via light sanding and polishing.

Virtually Seamless

Monolithic installation

improves design flow -

there are no open joints or

seams to trap unwanted

dust, fluids or contamination.

Non-porous:

Impervious surface prevents the growth of bacteria or mildew and reduces the possibility of cross-contamination.

Easy to clean:

Cleaning and sanitising is accomplished with nonabrasive wipe-on or spray-on products common to healthcare.









Over 90 colours are available from calming neutral to playful bold tones - ideal for healthcare interiors.

The Benefits of Staron[®] Solid Surface in Healthcare



NSF

Premium Quality:

Staron Solid Surface is a quality surface and longerlasting when compared to other materials - which makes it perfect for high traffic environments.

Resistant to Stains and Chemicals:

Resists various chemicals, fluids and contaminates often found in healthcare environments.





Homogeneous:

Staron is a homogeneous product which means there is no surface layer or polishes – it is the same colour and material throughout the thickness of the sheet.





Frankston Private Hospital

Victoria, Australia

Designer: Silver Thomas Hanley. **Staron[®] colour & application:** Bright White clad to nurses station. Photography: Paolo Cappelli.

Silver Thomas Hanley was commissioned to design a new building to extend the existing facilities of Frankston Private Hospital. The contemporary new building provides state-of-the-art private healthcare, so the materials selected for the fit-out had to reflect this quality. Staron® Solid Surface was selected to be clad to the cabinetry of a nurses station in colour Bright White. The surface extends from the front of the nurses station, up to the top counter area and down to the desk space on the other side. Staron[®] has also been thermoformed to create curves that softly wrap around the corners of the nurses station. The hygienic, non-porous, smooth and monolithic nature of Staron[®] make it the perfect surface solution to create a suitable application in a hospital environment. The joining capabilities also means that the surface has no open joins eliminating dirt trapping crevices. Staron[®] is warm and inviting and has the performance requirements to create a safe hospital

Monash Children's Hospital

Victoria, Australia

Designer: Silver Thomas Hanley. **Staron[®] colour & application:** Thermoformed Bright White clad to reception cabinetry. **Photography:** Dianna Snape.

The Monash Children's Hospital is Australia's third largest children's hospital. When the hospital was designed, the aim was to provide one coherent public identity for the comprehensive paediatric services provided across several campuses in a new progressive children's hospital. The look and feel of the hospital was also extremely important to provide an environment where children feel comfortable and positive in a hospital surrounding. Staron[®] was selected as the surface solution to create a reception space. The material was clad to all sides of the reception cabinetry in colour Bright White. It was also thermoformed to create curves into geometric shapes, creating an interersting and inviting space in one continuous, monolithic surface. The hygienic, nonporous nature along with easy maintenance requirements make Staron[®] the perfect surface solution in a project environment where creating a safe and healthy space is a priority.





hospital standards in relation to cleanliness and hygiene.

LiveLife Pharmacy

Queensland, Australia

Specified by: Annette Warner, Annette Warner Pty Ltd, Building Design Consultants. **Staron® colour & application:** Supreme Ocean View, Mosaic Dalmatian, Mosaic Nimbus, Pharmacy dispensary and point of sale benchtops. **Cabinetmaker:** Acclaim Shopfitting Pty Ltd.

The retail upgrade of this busy pharmacy on Hastings Street, Noosa Heads, required a material that withstands the high traffic demands of retail, while also providing a hygienic and chemical resistant surface for the pharmacist's needs. The designer chose to combine a variety of different materials throughout the fit-out to complement the beachside location. Staron[®] was selected in colours Mosaic Dalmatian and Mosaic Nimbus, for its practical qualities and unique colours. It has been used for the dispensary and point of sale benchtops. Staron[®] suits the needs of this environment, and complements all the other finishes, creating a timeless elegance with practical functionality.

ID

E D

11

11

11

11

d B

1D

11

5

DH.

5

1

1





University of Queensland

Designer: Luke Pendergast, Conrad Gargett. Staron® colour & application: Aspen Glacier laboratory benchtops. Photography: Christopher Frederick Jones.

The Teaching Space Project delivered a High-tech PC2 undergraduate interactive wet laboratory facility. The space has been designed to fill identified key gaps in the school's upper-level undergraduate teaching program. The new teaching facility is located within the Heritage Listed Goddard Building (1961) which forms a part of the University of Queensland's Great Court Complex. The project enables the ability to instruct students in modern biological techniques requiring a high level of containment, and the capacity to deliver small-group tutorial-based instruction within the context of computer-based learning. The aim was to provide, high quality, state-of-the-art teaching spaces that are future oriented and have the facilities and flexibility to teach 21st century biology. Staron® was used for all the benchtop surfaces not only for its visual appearance and design flexibility, but also it is hard wearing, non-porous, chemical resistance and virtually seamless nature - making it an ideal product for a physical containment labratory design.



Queensland, Australia

Staron® staircase wall cladding in Bright White. Project: Frankston Private Hospital, Victoria, Australia. **Designer:** Silver Thomas Hanley. Photography: Vstyle Photography.

The seamless nature of Staron® Solid Surfaces makes it suitable for wall cladding in any type of healthcare environment. Walls can be created with one smooth, long and continuous surface with no open joins or dirt-trapping crevices, creating a hygienic finish that eliminates cross-contamination. The thermoformability of Staron[®] allows the creation of curves for added design freedom. Seating, reception areas, showers, baths or washbasins can be integrated virtually seamlessly onto walls that curve around corners, and all the way up to the ceiling. Columns can also be clad in Staron® and create limitless shapes, designs or forms. Operating theatre walls can be entirely clad in Staron[®] for an environment where hygiene is exceptionally important. Staron® Evermoin® is an antimicrobial solid surface that is ideal for wall cladding applications in a healthcare environment as it actively kills bacteria. For more information on Staron[®] Evermoin[®] click here.

Wall Cladding

Healthcare Application Solutions with Staron® Solid Surfaces



NURSES' STATIONS / RECEPTION

Staron® is available in an extensive selection of colours to make the first entry point of a hospital feel warm and inviting to patients and visitors. Staron[®] can be thermoformed for curves, and it can also be inlayed using multiple colours to create interest. Computers and equipment can be housed in custom designed Staron[®] hubs and storage spaces. The hygienic and durable qualities of Staron® also means that it is suitable for high traffic areas.

OPERATING THEATRES

The hygienic and low maintenance of Staron[®] makes it the perfect solution for use in operating theatre walls, countertops, integrated sinks and vanities. Wash basins can also be custom designed and thermoformed to fit the space and requirements. The non-porous nature of Staron® also resists stains such as blood and betadine commonly found in operating theatres to create a hygienic, safe and clean operating theatre for patients and hospital staff.



PATIENT ROOMS

Staron[®] can be used for wall cladding, tables, bed headboards, bedside tables or any other type of furniture. Staron® can also be used to create integrated solutions for televisions, electrical cords and plugs, oxygen and monitor systems and more. The cleanliness of Staron® also creates a safe environment for patients, visitors and healthcare staff. Staron[®] can also extend to bathrooms for vanity bowls, vanity tops, even shower walls and thermoformed floors to allow wheelchair access.



LABORATORIES

Staron[®] can be shaped and formed to create workspaces and areas that are suited and organised for laboratory work. Shelves, sinks and storage compartments can be designed to ensure that the requirements of the staff are met for a productive workspace. The nonporous and seamless nature of Staron[®] also ensures that samples and tests are not contaminated. No open joins means that dirt trapping crevices are totally abolished for a hygienic and healthy work surface that is also safe for staff.

PUBLIC SPACES

Staron[®] can be used for hygienic wall panels throughout a hospital with no open joins. The surface continues in one monolithic finish. Wall panels can be used in corridors, patient rooms, elevators and more. Staron® can also be used in exterior cladding due to its nonporous and durable nature. Create hygienic walls in the public amenities and waiting rooms to eliminate cross contaimination.

HOSPITAL FAÇADES

Create entire building façades with Staron® Solid Surfaces. Staron[®] can be fabricated into virtually any desired shape to follow the angles of a building. The maintenance of the surface is also convenient and is renewable by simple cleaning or sanding. Staron[®] is also resistance to stain or environmental pollutants. It is non-porous and has a low rate of water absorption. Staron[®] is Class 1/A flame retardant in performance (ASTM E84) and can be restored in the event of a fire.

MATERNITY & PAEDIATRICS

The vivid colours of Staron[®] can be used to create a welcoming and interestesting surrounding for healthcare facilities that are designed for infants and children. Inlay different colours of Staron® to create artistic and colourful walls and furniture. The thermoformable nature of Staron[®] also allows for the design of integrated baby baths, change tables, wall panels and play areas with one monolithic surface that is durable, easy to clean and aesthetically pleasing.

KIOSKS / CAFETERIAS

Staron[®] meets NSF51 National Sanitation Foundation Accreditation for safe food hygiene, which means it is a practical surface for commercial kitchens. The surface will not promote the growth of bacteria when exposed to food, so it is a suitable surface for all food contact areas. Use Staron[®] for coffee kiosks, cafeterias, café table tops and more. Staron[®] can even be used as a surface solution for florist and gift kiosks.









Integrated Staron[®] Sinks

Staron[®] has a selection of standard sinks and vanity bowls. Custom designed sinks can also be made to create baby baths or sinks to a specific size. Staron[®] sinks are joined to the Staron[®] benchtop with a special Staron[®] adhesive, and sanded. The result is a monolithic surface that continues from the bench to the sink in one smooth and continuous surface. No open joins and no dirt trapping crevices.

Click here to view the entire sink collection.





staron.com.au







Heightened Hygiene. Kills >99.9% of bacteria. Contains NO harmful silica. Greenguard & Greenguard Gold Certified.

Staron® Evermoin® has fast antimicrobial activity to the most common bacteria. *The bacteria removal rate >99.9% means the number of bacteria is reduced from 10 million to 10,000.



Antimicrobial Staron[®] Solid Surface Advanced Solution for Healthcare

Evermoin[®] by Staron[®] is an ideal surface solution for applications that are exposed to sensitive people and/or animals such as the sick, elderly or children. It provides the hygiene and design versatility of Staron[®], with a bacteria killing, antibacterial inclusion. Standard Staron[®] supresses fungal and bacteria due to its non-porous nature, while Staron[®] Evermoin[®] <u>actively kills</u> bacteria. Evermoin[®] anti-microbial surfaces from Staron[®] can be used in almost any interior space. Create nurses workstations and wall cladding in a functional and renewable material that is durable as well as ultra-hygienic. Achieve the perfect blend of simplicity in design with an anti-microbial surface engineered for a healthier life.

Click here to view detailed brochure



Dimension: W.3680 x L.760 x 12 [mm] W.2500 x L.760 x 6 [mm] *available by special order*

Please discuss the possibility of using Staron[®] Evermoin[®] in your next project with your Austaron representative.

The design versatility of Staron[®] means that limitless edge profile thicknesses and designs can be fabricated monolithically from a 12mm sheet. The joining capabilities also create smooth, wide and long surfaces with no open joins - just one continuous surface that looks and performs as one piece of solid surface.



Simple Maintenance. Non porous. Resistant to mould and mildew.



Certified by: US Environmental Protection Agency. National Sanitation Foundation. US Food & Drug Administration.



Colour: Ultra Bright

staron.com.au

BACTERIAL RESISTANCE

Test method: ASTM G 22 (Determining Resistance of Plastics to Bacteria) Strains: Pseudomonas Aeruginosa (ATCC 13388) Culture condition: 96.8 +/- 1.8°F(36 +/- 1°C), 90%RH, 21 days

Culture Time	0 WEEK	1 WEEK	2 WEEKS	3 WEEKS
RESULT	0	0	0	0
L				•

CHEMICAL RESISTANCE

Test method: Apply 3 drops of each chemical reagent on the surfaces of Staron[®] Solid Surfaces. Expose the sample for 16 hours; covered with glass plate and uncovered. Check the surface and scrub the surface with a wet Scotch-Brite® Pad and bleaching cleanser such as Ajax[®].

Test Result: THE RESIDUE FROM THE FOLLOWING CHEMICAL REAGENTS CAN BE REMOVED WITH A WET SCOTCH-BRITE PAD AND BLEACHING CLEANSER.

Acetic acid (10%) Acetone Ammonium hydroxide (5,28%) Ammonia Amyl alcohol Amyl acetate Ball point pen Benzene Bleach (household type) Blood Butyl alcohol B-4 body conditioner Calcium thiocyanate (78%) Carbon disulfide Carbon tetrachloride Citric acid (10%) Coffee Cottonseed oil Cigarette (nicotine and tar) Cooking oils Cupra ammonia Ethanol Dishwashing liquid/powders Ethyl acetate Ethyl ether	Formaldehde Gasoline Gentian violet Grape juice Hair dyes Household soaps Hydrogen peroxide Hydrochloric acid (20,30,37%) Iodine (1%) Ketchup Lemon juice Lipstick Mercurochrome (2%) Methyl ethyl ketone Methyl red (1%) Methyl orange (1%) Mustard Mineral oil Nail polish Naphthalene N-hexane Olive oil Perchloric acid	Pencil lead Permanent marker pen Soapless detergents Shoe polish Sodium bisulfate Soy sauce Sulfuric acid (25,33,60%) Sodium hydroxide solution (5,10,25,40%) Sodium sulfate Sugar (sucrose) Sulfuric acid (25,33,60%) Tetrahydrofuran Tea Toluene Urea (6%) Tomato juice Uric acid Vinegar Washable inks Wine Xylene Zinc Chloride
--	---	--

DURABILITY

Properties	Tensile Strength	Flexural Strength	Flexural Modulus	Elongation	Gloss [60 Gardner]	Abrasian Resistance
Test Procedure	ASTM D 638	ASTM D 790	ASTM D 790	ASTM D 638	NEMA LD-3	ANSI Z 124
Result	6,000 psi	10,000 psi	1,000,000 psi	0.50%	5-20	Pass

Click here to view Performance Properties

FIRE RESISTANCE

<u>AS/NZS 1530.3:1999</u> Fire Testing - Simultaneous determination of ignitability, flame propagation, heat release and smoke release. Test Method: Staron[®] has been tested in accordance with Australian Standard 1530, method for fire tests on building components and structures, Part 3: Simultaneous determination of ignitability, flame propagation, heat release and smoke release, 1999. For the test, each sample was clamped to the specimen holder in four places.

Test Result:

Ignitability	Spread of Flame	Heat Evolved	Smoke Developed
Index	Index	Index	Index
(0-20)	(0-10)	(0-10)	(0-10)
11	0	2	0-1

Staron® has also been tested within accordance of: AS/NZ 3837 - Wall & Ceiling Linings Cone Calorimeter Test.

SLIP RESISTANCE

Staron[®] has been tested within accordance of **AS/NZS 4586**. For full test results visit staron.com.au



Technically Advanced

Austaron Pty Ltd

Ph: 02 9822 7055 sales@austaron.com.au austaron.com.au

Specifications	<u>State</u>	<u>Trade</u>
0439 446 986	Sydney	0417 417 624
0439 446 986	Newcastle	0417 417 624
0455 666 816	NSW	0455 666 816
0455 666 816	ACT	0455 666 816
0407 842 037	VIC	0403 287 597
0417 189 121	WA	0417 189 121
0407 617 040	SA	0407 617 040
0419 779 173	Brisbane South	0419 779 173
0414 481 319	Brisbane North	0414 481 319
0414 481 319	F.N.Q.	0428 267 685
0414 481 319	NT	0428 267 685
0438 216 606	TASMANIA	0438 216 606

LIKE US: facebook.com/staronsolidsurfaces FOLLOW US: instagram.com/staronsolidsurfaces



Proud distributors of:

Storon®

Kaynemaile[®] XX

acrylic couture^{*}

staron.com.au