

HPD UNIQUE IDENTIFIER: 90647640064

CLASSIFICATION: 12 36 61.16 Solid Surfacing Countertops

PRODUCT DESCRIPTION: Staron® is a homogeneous and non-porous acrylic composite surfacing material well-suited for a range of interior applications. Designed with active end-users in mind, Staron® offers an extensive assortment of colors and patterns to complement virtually any decor space. From subtle neutrals to vivid solids, Staron® is an ideal surfacing solution for healthcare, hospitality, corporate and retail environments. Manufacturer of Staron®, Lotte Chemical, is committed to be the "Green Movement" and is constantly striving to improve the environment and keep our nature pristine. There are no heavy metals or toxic chemicals used in the production of Staron®. All suppliers of the raw materials used in the manufacture of Staron® are supervised under a strict Lotte quality control program.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

<p>Inventory Reporting Format</p> <p><input type="radio"/> Nested Materials Method</p> <p><input checked="" type="radio"/> Basic Method</p> <p>Threshold Disclosed Per</p> <p><input type="radio"/> Material</p> <p><input checked="" type="radio"/> Product</p>	<p>Threshold Level</p> <p><input type="radio"/> 100 ppm</p> <p><input checked="" type="radio"/> 1,000 ppm</p> <p><input type="radio"/> Per GHS SDS</p> <p><input type="radio"/> Other</p>	<p>Residuals/Impurities Evaluation</p> <p><input checked="" type="radio"/> Completed</p> <p><input type="radio"/> Partially Completed</p> <p><input type="radio"/> Not Completed</p> <p>Explanation(s) provided :</p> <p><input checked="" type="radio"/> Yes <input type="radio"/> No</p>	<p><i>For all contents above the threshold, the manufacturer has:</i></p> <p>Characterized <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>Provided weight and role.</i></p> <p>Screened <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>Provided screening results using HPDC-approved methods.</i></p> <p>Identified <input type="radio"/> Yes <input checked="" type="radio"/> No</p> <p><i>Provided name and CAS RN or other identifier.</i></p>
--	--	--	---

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

STARON® ACRYLIC SOLID SURFACES [ALUMINA TRIHYDRATE (ALUMINA TRIHYDRATE) BM-2 | SKI | EYE METHYL METHACRYLATE (METHYL METHACRYLATE) LT-P1 | END | SKI | PHY | EYE | MAM POLYMETHYL METHACRYLATE LT-P1 | RES UNDISCLOSED LT-P1 | MUL | SKI | EYE CARBON BLACK (CARBON BLACK) BM-1 | CAN | EYE | MAM TITANIUM DIOXIDE (TITANIUM DIOXIDE) LT-1 | CAN | END | MAM UNDISCLOSED LT-P1 | SKI | MAM | EYE UNDISCLOSED LT-UNK | AQU UNDISCLOSED LT-P1 | END | AQU UNDISCLOSED NoGS UNDISCLOSED LT-UNK | SKI | EYE]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, BM-1, LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Substances percent weight are provided

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: GreenGuard - Gold (previously Children & Schools)

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2023-07-20

PUBLISHED DATE: 2023-10-11

EXPIRY DATE: 2026-07-20

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

STARON® ACRYLIC SOLID SURFACES

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: The high standards and efficiency of production in the manufacture of Staron results in limited waste and reduced energy consumption. Scrap and waste generated during production process are recycled and re-used in the manufacture of new products. Energy consumption is managed using respected management systems comparable to 6 Sigma and TPM. Additionally, Staron recycled series products are manufactured using pre-consumer recycled content and certified by Scientific Certification Systems (SCS) that can contribute to LEED® MR Credits for recycled content, resulting in a reduction of industrial waste and energy consumption utilized during the manufacturing process. Using recycled content helps conserve energy and resources, alleviates pressure on landfill space and reduces the need for transportation during certain phases of a product's life cycle.

OTHER PRODUCT NOTES: There are no heavy metals or toxic chemicals used in the production of Staron®. All suppliers of the raw materials used in the manufacture of Staron® are supervised under a strict Lotte quality control programme. Materials are inspected by both internal/external examining bodies RoHS (Restricting the use of Hazardous Substances) and NSF (National Sanitation Foundation, USA) ensuring that Staron® manufacturing meets the environmental standards required.

ALUMINA TRIHYDRATE (ALUMINA TRIHYDRATE)

ID: 21645-51-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2023-07-20 12:15:20

%: 55.0000 - 65.0000 GreenScreen: BM-2 RC: None NANO: No SUBSTANCE ROLE: Flame retardant

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products

SUBSTANCE NOTES: Alumina Trihydrate (ATH) is often associated with its role as a non-halogen flame retardant and smoke suppressant. Synonyms for ATH include Hydrated Alumina, Aluminum Hydroxide, Aluminum Trihydroxide. ATH is an extremely functional and versatile pigment in Staron® Acrylic Solid Surfaces.

METHYL METHACRYLATE (METHYL METHACRYLATE)

ID: 80-62-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2023-07-20 12:15:20

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
SKI	GHS - New Zealand	Skin sensitisation category 1
SKI	GHS - Malaysia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
PHY	GHS - New Zealand	Flammable liquids category 2
PHY	GHS - Japan	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
PHY	GHS - Malaysia	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
PHY	GHS - Australia	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals Some Solvents
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Cosmetics & Personal Care Products

SUBSTANCE NOTES: The principal application of Methyl Methacrylate (MMA) is the manufacture of Acrylic Resin in Staron® Acrylic Solid Surfaces.

POLYMETHYL METHACRYLATE

ID: 9011-14-7

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2023-07-20 12:15:21**

%: 5.0000 - 10.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Processing regulator
----------------------------	---------------------------	-----------------	-----------------	---

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List Precautionary list of substances recommended for avoidance

SUBSTANCE NOTES: PMMA is a non-linked polymer component in acrylic solid surface material.

UNDISCLOSEDID: **Undisclosed**HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2023-07-20 12:15:21**

%: 0.0000 - 2.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Curing agent
---------------------------	---------------------------	-----------------	-----------------	-------------------------------------

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Staron® Acrylic Solid Surface products are comprised of reacted monomers and resins, inert mineral fillers, and colorants, and are manufactured in the form of sheets and shapes (sinks and wash basins). The material inputs for Staron® solid surface are encapsulated by polymerization of acrylic-based reactants in the manufacturing process. In its finished form, Staron® solid surface material is an article, is nontoxic and non-allergic to humans.

CARBON BLACK (CARBON BLACK)

ID: 1333-86-4

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2023-07-20 12:15:22**

%: 0.0000 - 1.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
---------------------------	--------------------------	-----------------	-----------------	--------------------------------

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	IARC	Group 2b - Possibly carcinogenic to humans
EYE	GHS - New Zealand	Eye irritation category 2
CAN	GHS - New Zealand	Carcinogenicity category 2
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Staron® Acrylic Solid Surface products are comprised of reacted monomers and resins, inert mineral fillers, and colorants, and are manufactured in the form of sheets and shapes (sinks and wash basins). The material inputs for Staron® solid surface are encapsulated by polymerization of acrylic-based reactants in the manufacturing process. In its finished form, Staron® solid surface material is an article, is nontoxic and non-allergic to humans.

TITANIUM DIOXIDE (TITANIUM DIOXIDE)

ID: 13463-67-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2023-07-20 12:15:20			
%: 0.0000 - 1.0000	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Cosmetics & Personal Care Products
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL) Colorants - Green Circle (Verified Low Concern)

SUBSTANCE NOTES: Staron® Acrylic Solid Surface products are comprised of reacted monomers and resins, inert mineral fillers, and colorants, and are manufactured in the form of sheets and shapes (sinks and wash basins). The material inputs for Staron® solid surface are encapsulated by polymerization of acrylic-based reactants in the manufacturing process. In its finished form, Staron® solid surface material is an article, is nontoxic and non-allergic to humans.

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2023-07-20 12:15:20**

%: **0.0000 - 1.0000**

GreenScreen: **LT-P1**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Tensile strength additive**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
SKI	GHS - New Zealand	Skin corrosion category 1C
EYE	GHS - New Zealand	Serious eye damage category 1
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
EYE	GHS - Australia	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals Antimicrobials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Cosmetics & Personal Care Products

SUBSTANCE NOTES: Staron® Acrylic Solid Surface products are comprised of reacted monomers and resins, inert mineral fillers, and colorants, and are manufactured in the form of sheets and shapes (sinks and wash basins). The material inputs for Staron® solid surface are encapsulated by polymerization of acrylic-based reactants in the manufacturing process. In its finished form, Staron® solid surface material is an article, is nontoxic and non-allergic to humans.

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-07-20 12:15:21**

#: **0.0000 - 1.0000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Tensile strength additive**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products

SUBSTANCE NOTES: Staron® Acrylic Solid Surface products are comprised of reacted monomers and resins, inert mineral fillers, and colorants, and are manufactured in the form of sheets and shapes (sinks and wash basins). The material inputs for Staron® solid surface are encapsulated by polymerization of acrylic-based reactants in the manufacturing process. In its finished form, Staron® solid surface material is an article, is nontoxic and non-allergic to humans.

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-07-20 12:15:21**

%: **0.0000 - 1.0000** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Curing agent**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals Some Solvents

SUBSTANCE NOTES: Staron® Acrylic Solid Surface products are comprised of reacted monomers and resins, inert mineral fillers, and colorants, and are manufactured in the form of sheets and shapes (sinks and wash basins). The material inputs for Staron® solid surface are encapsulated by polymerization of acrylic-based reactants in the manufacturing process. In its finished form, Staron® solid surface material is an article, is nontoxic and non-allergic to humans.

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-07-20 12:15:22**

%: **0.0000 - 1.0000** GreenScreen: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Curing agent**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Staron® Acrylic Solid Surface products are comprised of reacted monomers and resins, inert mineral fillers, and colorants, and are manufactured in the form of sheets and shapes (sinks and wash basins). The material inputs for Staron® solid surface are encapsulated by polymerization of acrylic-based reactants in the manufacturing process. In its finished form, Staron® solid surface material is an article, is nontoxic and non-allergic to humans.

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-07-20 12:15:22**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Staron® Acrylic Solid Surface products are comprised of reacted monomers and resins, inert mineral fillers, and colorants, and are manufactured in the form of sheets and shapes (sinks and wash basins). The material inputs for Staron® solid surface are encapsulated by polymerization of acrylic-based reactants in the manufacturing process. In its finished form, Staron® solid surface material is an article, is nontoxic and non-allergic to humans.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	GreenGuard - Gold (previously Children & Schools)	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2007-09-18	CERTIFIER OR LAB: UL
APPLICABLE FACILITIES: Building products and Interior finishes	EXPIRY DATE: 2023-09-18	Environment
CERTIFICATE URL: https://spot.ul.com/main-app/products/detail/5ad1e80355b0e82d946a0796?page_type=Products%20Catalog		
CERTIFICATION AND COMPLIANCE NOTES: Greenguard Gold Standard for Chemical Emissions for Building Materials, Finishes and Furnishings		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Staron® is GREENGUARD Gold certified and is therefore scientifically proven to meet some of the world's most rigorous, third-party chemical emission standards – helping reduce indoor air pollution and the risk of chemical exposure while aiding in the creation of healthier indoor environments. GREENGUARD Gold certification standard includes health based criteria for additional chemicals and also requires lower total VOC (volatile organic compounds) emissions levels to ensure products are acceptable for use in environments such as schools and healthcare facilities. Staron® received a Certificate of Environmental Building Material (Certificate #: HB075G04-01) and achieved an outstanding grade in accordance with the regulation for environmental building materials provided by the Korea Air Cleaning Association. Staron® is considered a re-usable material and can be refurbished to look as new. Otherwise, waste product can be incinerated or disposed of to landfill in accordance with local regulations. Environmental Product Declarations (EPD) for Staron® is available at www.scscertified.com/products/cert_pdfs/SCS-EPD-04751_LOTTE_Staron_010820.pdf.

MANUFACTURER INFORMATION

MANUFACTURER: Lotte Chemical Corp.
ADDRESS: 6 Centerpointe Dr. Suite 100
 La Palma, CA 90623
COUNTRY: USA

WEBSITE: www.staron.com
CONTACT NAME: Daniel Hong
TITLE: TS Manager
PHONE: 714-443-0962
EMAIL: daniel.hong@lotte.net

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this

